

TS2020-SF

 \oplus

The Kinyo TS2020-SF is designed for sheetfed and packaging.

Features

- "TS" the next generation ThermaSphere® compressible layer unique to Kinyo.
- High density carcass with thicker compressible layer resists edge marking with all substrates.
- This thicker compressible layer delivers even longer life on press, improved shock absorption and minimal gauge reduction.
- The blended surface compound has improved resistance to embossing.
- Semi-polished rubber surface for perfect dot reproduction and excellent solids coverage.
- Excellent ink transfer and sheet release.
- Designed for general purpose sheet-fed applications and packaging.
- Carcass made with high strength-low stretch cotton textiles.
- Energy recovery and reduced solvent usage throughout the entire manufacturing process.

Technical Data

Blue

COLOR

Chemistry resistant nitrile blend

SURFACE RUBBER

Ground

SURFACE FINISH

1.1 µm

SURFACE ROUGHNESS (RA)

ThermaSphere®

COMPRESSIBLE LAYER

Slightly positive

PAPER FEEDING RATIO

81°

SHORE A HARDNESS

1.6

COMPRESSSIBILITY (MPA@0.20MM)

< 1.5

ELONGATION (% @10N/MM)

.0768-.0783"/1.95-1.99mm

NOMINAL THICKNESS

These values are typical properties and are not intended for specification purposes.







